



ALBATROSS® USA
INC.

Leading in Cleaning Since 1898

CLEANERS & SCREEN OPENERS

The most complete range of textile care sprays and liquids. AlbaChem keeps production running smoothly. Cleaners, lubricants and adhesives for apparel manufacturing, upholstery, embroidery, dry cleaning, screen printing and all textile applications.



AlbaChem® PSR & PSR II Powdered Dry Cleaning Fluid

No. 1060

VOC Compliant for all states.

No. 1062

Not for sale in VOC regulated states.

Net Wt. 12.5 oz.
(354 grams)

- Removes grease and oil stains from all fabrics
- Removes "rings/circles"
- Contains no chlorinated solvents
- Safe to use on acetates
- Spray On - Let Dry - Brush Off

AlbaChem PSR & PSR II remove tough stains from all fabrics without harming delicate fibers. Unlike other powdered sprays PSR & PSR II contain no chlorinated solvents, are non-toxic and requires no cancer warnings. PSR has a low odor, will not "ring", and dries quickly. Use on all fabrics including: silk, satin, cotton, wool, taffeta, acetates and more.



AlbaChem® Foaming Leather & Vinyl Cleaner

No. 1550

Net Wt. 17.5 oz.
(496 grams)

Removes dirt, grime and scuff marks from both leather & vinyl surfaces. The product does not leave any noticeable residue. It is great for furniture, shoes, clothing and automotive uses. Safe for use on most vinyl and leather surfaces.



AlbaChem® Spot Lifter II

No. 1674A

Net Wt. 17 oz.
(482 grams)

MOST POWERFUL POWDERED SPOT REMOVER

- Spray On - Let Dry - Brush Off
 - Does not contain methylene chloride.
- Great for screen printers when spot cleaning on dark colored goods, removes the "rings". Use on all clothing and textiles.

Removes; grease, oil, food, dirt, tar, graphite and more from clothing, carpets, upholstery, auto interiors, wallpaper, bedding, etc.



AlbaChem® Multi-Purpose Cleaner / Degreaser

No. 1677

Net Wt. 14 oz.
(396 grams)

- Adhesive remover
- Spot remover
- Paint/ink/graffiti remover
- Parts & machinery cleaner degreaser

Fantastic multi-purpose solvent cleaner for both fabrics & hard surfaces. Good for use on "dry clean only fabrics" (except acetates). Cleans and degreases machinery, removes uncured screen print ink from fabric and presses. This versatile product does not contain any chlorinated solvents. VOC Free.



AlbaChem® Clear Screen™ Screen Opener

No. 1641

Net Wt. 14 oz.
(397 grams)

- Opens clogged screen
- Emulsion safe
- Leaves no film
- Fast acting
- Works on almost all Inks

AlbaChem Clear Screen instantly unclogs any screen while still on the press. Dissolves all types of ink, fresh or old. It is great for spot cleanups in hard to reach corners. For use on photographic stencils or water soluble hand cut film only. Clear Screen works fast and efficiently to reduce downtime.



AlbaChem® Citrus Screen Opener

No. 1634

Net Wt. 15 oz.
(424 grams)

- Opens clogged screens
- Leaves no film
- Emulsion safe
- SMELLS GREAT!

Powerful citrus based cleaner instantly opens clogged screens while still on press with a pleasant citrus scent. Dissolves most types of inks, fresh or old. Great for spot clean-ups in hard to reach corners. For use on photographic stencils or water soluble hand cut film only. Also cleans ink, dirt and oil from printing presses.



AlbaChem® Water-Based Screen Opener

No. 1632

Net Wt. 19 oz.
(539 grams)

- Works on all water-based inks
- Leaves no film
- Fast acting
- Opens clogged screens

AlbaChem 1632 safely opens clogged screen of dried in water based inks. The foaming cleaner works fast without leaving any film or oily residue. AlbaChem water based Screen Opener may also be used to clean ink and dirt from printing presses.



AlbaChem® Big Shot Duster Spray

N.º 1340

Net Wt. 12 oz.
(340 grams)

- Blasts away dust and dirt
- Great for computers, electronics, machinery
- Clean, dry and odorless

Remove tab on top of nozzle and connect extension straw. Do not shake can. Hold can upright when using. Spray surface to be cleaned in short bursts from around 3 inches to blow away dust, dirt and debris.

LUBRICANTS & SPECIALTY ADHESIVES



AlbaChem® ALBA-5 Lubricant

No. 1605
Net Wt. 6.84 oz.
(194 grams)

- Precision metered oil release
- Will not drip or run
- 100% Clear lubricating oil
- Great for embroidery, sewing and all textile machinery
- Applies a drop at a time!

The unique metering system sprays one drop of oil each time you depress the button. Using the extension tube, the oil goes exactly where you want it. No excess oil is wasted. No stain causing drips.



AlbaChem® Fabric Seal Anti-Fray Spray

No. 1074
Net Wt. 10 oz.
(283 grams)

- Prevents fabric unraveling, thread slippage & reduce seam failure
 - Eliminates over-edge stitching
- Great cutting room product, seals edges to reduce fraying.



AlbaChem® SAFE-T-TACK ADHESIVE

No. 1788
Net Wt. 12 oz.
(340 grams)

- Water Based Pallet Adhesive
- VOC Compliant & Odorless
- No Petroleum Solvents
- Tack Re-Activated with Water
- Great for Flash Applications!

SAFE-T-TACK is a water based adhesive spray for holding textiles to pallets during screen printing. It does not contain hazardous petroleum solvents making it much safer to use than traditional aerosol sprays.



AlbaChem® ALBA WASH Hook Cleaner/ Lubricant

No. 1615
Net Wt. 11 oz.
(311 grams)

- Cleans and lubricates rotary hooks
- Use on embroidery machines and parts
- Removes oil, grease and dirt
- Prevents corrosion and oxidation

Alba Wash is a combination solvent cleaner and mineral oil based solution. It allows you to thoroughly clean and flush rotary hooks, needle cases other parts/assemblies in your embroidery machinery. Alba Wash will remove grease, dirt, adhesives, lint and other contaminants which can lead to thread breakage and machinery problems. It leaves a clear lubricating film and is safe for use on metal & plastic surfaces. Regular cleaning with Alba Wash will help to keep your machinery running smoothly.



AlbaChem® Eco Mist Adhesive

No. 1782
Net Wt. 12 oz.
(340 grams)
Not for sale in California.
No. 1782C
Net Wt. 12 oz.
(340 grams)
For California.

- "Flashable" screen print pallet and embroidery adhesive
- Great for cutting rooms
- Pressure sensitive
- Will not transfer
- Does not contain hexane

AlbaChem Eco Mist Adhesive is all purpose textile adhesive spray. Good for screen printers, embroiderers, and apparel manufacturers. Flash Resistant (for screen printers), low odor, minimal overspray. 1782 is a great pattern hold adhesive (for apparel manufacturers).



AlbaChem® Embroidery Adhesive

No. 1076
Net Wt. 10 oz.
(283 grams)

A fine mist adhesive that is great for all embroidery applications. It will not stick to sewing machine needles. Provides a great temporary bond for appliques. Use for machine appliqué, quilting and embroidery. Great for basting quilt layers in preparation for quilting. Holds stabilizing interface in place for machine embroidery. Repositionable, clear, non-staining, no methylene chloride.



AlbaChem® SUPER 88 Adhesive

No. 1088
Net Wt. 13 oz.
(369 grams)

- Super strong tack • High coverage
 - Less frequent re-application
 - Bonds everything; cloth, wood, foam, film, plastic, cardboard
 - Mist spray pattern
- Many Uses:
- Screen printing
 - Photographic applications
 - Art projects
 - Embroidery
 - Applying insulation
 - Furniture & upholstery

AlbaChem Super 88 applies more adhesive solids for obtaining a strong bond using less adhesive. It is great in applications where a light mist adhesive does not provide enough tack. Super 88 is water resistant, presents a fast tack and will not wrinkle most porous surfaces or fabrics.

PALLET & FOAM ADHESIVES



AlbaChem® Premium Flash Adhesive

No. 1786
Net Wt. 13 oz.
(368 grams)
No. 1786C
Net Wt. 13 oz.
(368 grams)
For California.

- Stable at high temperatures
- Less frequent re-application
- Will not transfer
- Maintains tack with multiple flashes
- Mist spray pattern

AlbaChem Premium Flash adhesive has both a good cold tack and a great hot tack. The unique mist spray is activated by a heat flash. The tack increases each time you flash the pallet greatly reducing the need for reapplication. It will not become "gummy" from a flash. Great for automatic presses with multiples flashes.



AlbaChem® Premium Mist Adhesive

No. 1787
Net Wt. 14 oz.
(397 grams)

- Super strong tack
- Stable at high temperatures
- Less frequent re-application
- Great for screen printing applications
- Mist spray pattern

AlbaChem Premium Mist applies more adhesive solids for obtaining a strong bond using less adhesive. It is great in applications where a light mist adhesive does not provide enough tack. AlbaChem Premium Mist Adhesive is heat stable, water resistant, presents a fast tack and will not wrinkle most porous surfaces or fabrics.



AlbaChem® Premium Web Adhesive

No. 1783
Net Wt. 13 oz.
(368.5 grams)

- Ideal for all screen printing applications.
- Will not transfer • Repositionable
- Clear • Non-staining • Non-chlorinated

WEB SPRAY PATTERN

Special purpose adhesive spray designed for tacking textiles to the pallet during screen printing. The unique webbing spray pattern dries quickly providing a longlasting tack that will not transfer onto the screen printed garment. Unlike mist adhesive sprays, Premium Web Adhesive will not loose its tack when printing on fleece or other materials that may leave a coating over the adhesive.

Will not stain or soak through fabrics.



AlbaChem® DRI-WEB Pallet Adhesive

No. 1175
Not for sale in
VOC regulated states.
Net Wt. 11.75 oz.
(333 grams)

- Ideal for fleece.
- Very fast drying
- Best web spray for screen printing.

The unique webbing spray pattern dries quickly providing a long lasting tack that will not transfer onto the screen printed garment.

Dri-Web will not lose its tack when printing on fleece or other materials that may leave a coating over the adhesive. Dri-Web will not stain or soak through fabrics.



AlbaChem® DRI-WEB Foam Adhesive

No. 1075
Not for sale in California.
No. 1975
For sale in California.
Net Wt. 12 oz.
(340 grams)

- Ideal for all foam bonding applications.
- Instant grab • Repositionable
- Clear • Non-staining
- Non-chlorinated
- Web spray pattern

Bonds: • Foam to Foam
• Foam to Fabric
• Foam to Wood
• Foam to Paper

Special purpose adhesive spray designed for use in the upholstery, bedding and furniture industries. The unique webbing spray pattern gives an instant grab while remaining repositionable. Once dry, the foam is bonded to the other surface. Provides a much greater tack than mist adhesive sprays. Dri-Web will not stain or soak through fabrics.



AlbaChem® Headliner Adhesive

No. 1875
Net Wt. 12.5 oz.
(354 grams)

- Strongest Bond for headliners
- Great for automotive, marine & upholstery applications
- Bonds to plastic, wood and metal
- Withstands high temperatures
- Water resistant
- Adjustable Spray Pattern

Use on trim work, headliners and door panels. The clear, non-staining, high strength adhesive spray will not yellow. AlbaChem Headliner Adhesive is great for marine applications, carpet installation, insulation adherence, automotive application, van conversions, motor home uses and in the manufactured housing industry.

APPAREL / SCREEN PRINT CLEANERS



SuperKleen® S.P.I.F.® Cured Ink Remover

**Nos. 1070, 1071,
1073**

Sizes: One Gallon,
Five Gallon and
55 Gallon

S.P.I.F. completely removes cured plastisol inks, most water-based inks, flock lettering and adhesives from all textiles. Its unique oxygenated formula leaves fabric free of any trace of the ink smudge. Unlike other cured ink removers, S.P.I.F. is a full-strength product and does not contain any petroleum hydrocarbon "fillers." This ensures that the ink marks are removed using a minimum of product.



NEW S.P.I.F.® II Cured Ink Remover

**Nos. 1090R,
1092R, 1094R**

Sizes: One Gallon,
Five Gallon and
55 Gallon

S.P.I.F. II is a powerful solvent blend to remove cured ink stains from all textiles. New S.P.I.F. II does not contain any methylene chloride, perchloroethylene or trichloroethylene. It is non-flammable, dries quickly and does not leave any residue on the fabric. S.P.I.F. II is not considered hazardous for shipping purposes.



Expert® Premium 303 Cured Ink Remover

**Nos. 1210, 1230,
1240**

Sizes: One Gallon, Five
Gallon and 55 Gallon

The most powerful cured ink remover manufactured. It is made for all screen print applications. The ultra fast-drying formula removes ink marks quickly and does not spread. This reduces chances of ink bleeding around the cleaned area. A new "frost-reducing" additive eliminates moisture rings caused by condensation. Premium 303 removes cured plastisol ink, water and vinyl based inks, ballpoint and marker pen inks, felt-tip marks, adhesives and more. Unlike other screen print ink removers, Does not contain any "filler" petroleum distillates.



EverBlum® Special Cleaning Fluid

**Nos. 1005, 1006,
1008**

Sizes: One Gallon,
Five Gallon and
55 Gallon

EverBlum Special is a blend of the traditional chlorinated solvents (methylene chloride and perchloroethylene) with alcohols.

The economical formula is fast-drying, does not contain any ozone-depleting substances, nor does it require any flammability labeling.

EverBlum Special can remove virtually all oil-based stains for all types of textiles. The powerful ingredients will not leave a residue on any fabrics. Contains under 3% VOC's.



EverBlum® Gold Cleaning Fluid

**Nos. 1810R,
1811R, 1812R**

Sizes: One Gallon,
Five Gallon and
55 Gallon

EverBlum Gold Cleaning Fluid is a unique, fast-drying, non-flammable cleaning fluid. It has a very low odor and is ideal for the cleaning of all textiles including apparel, bedding and furniture. It does not contain any methylene chloride, perchloroethylene or trichloroethylene.

EverBlum Gold does not contain any chemicals that require either a cancer warning or an ozone-depletion warning. The unique solvent blend is not considered a hazardous material for shipping purposes.



ALBA-RUST Expert® Rust Remover

No. 1043
16 Fl. Oz
(.47 Liter)

- Non-Flammable
- Biodegradable.
- Works instantly
- Flushes with water or steam

ALBA-RUST effectively removes all rust and metal stains from cotton, wool, synthetics, blends and carpet. It does not tender or degrade fabrics. Apply a few drops with applicator bottle and dab with spotting bones, brush, or clean cloth to dissolve stain. Flush residue with water or steam.



VLR Letter Removing Solvent

No. 1020
20 fl. oz.

AlbaChem Vinyl Letter Removing Solvent completely removes vinyl letters and tagless from most fabrics. The applicator spout allows for easy application minimizing waste. Apply a few drops on the reverse side of the garment to dissolve the adhesive. Simply peel off the letter. Highly effective and fast drying, Vinyl Letter Remover saves you time and money by dramatically reducing "seconds".



Expert® Scorch Remover

No. 1045
16 Fl. Oz

Expert Scorch Remover instantly removes scorch and light burn marks from clothing. Packaged in a pump spray container, Expert Scorch Remover is easy to apply. After spraying Expert Scorch Remover on the mark, simply run the fabric through a warm dryer or press with a warm iron. Expert Scorch Remover is especially useful for screen printers.



ALBA-INK Expert® Ink Remover

No. 1044
16 Fl. Oz (.47 Liter)
Applicator Top Container
No. 1042
One Gallon

- Works instantly to remove ball point ink, paint, magic marker and more
- Flushes with water or steam
- Very low odor

Instantly removes ballpoint ink from all fabrics. The fast-acting liquid penetrates the ink and allows you to wipe off the stain. Apply a few drops with applicator bottle and dab with spotting bones, brush, or clean cloth to dissolve stain. Flush residue with water or steam.

APPAREL MANUFACTURING LUBRICANTS



AlbaChem® Quick-Stitch Thread Lubricant

**Nos. 3009, 3010,
3012**

Sizes: One Gallon,
Five Gallon and
55 Gallon

Quick-Stitch reduces chatter and heat build-up by eliminating friction and static electricity. It prevents yarn fraying and reduces thread breakage. Quick-Stitch is an odorless "disappearing" solvent based formula which may be applied by dipping spools directly into the lubricant or with a thread lubricator box. The thread will remain moist during handling but will evaporate without leaving any residue.



Alba 925 Water Soluble Knitting Machine Oil

**Nos. 3071, 3072,
3073**

Sizes: One Gallon,
Five Gallon and
55 Gallon

Alba 925 Water Soluble Oil is a highly refined, narrow-cut, non-detergent mineral oil which is emulsified so that it is soluble in water at all temperatures. This allows Alba 925 to be flushed out of fabrics with water. It is completely clear in color, non-toxic and has minimal odor. Alba 925 can be flushed from machinery and fabrics with water.



Expert® Silicone Concentrate

Nos. 1749, 1752

2 oz. (255 grams),
1-Gallon

Expert Silicone Concentrate is the ideal lubricant for reducing heat build up and chatter. It also reduces static electricity. Expert Silicone Fluid is non-toxic. It may be applied onto seals, o-rings and other plastic and rubber parts. Silicone is the best lubricant to use between metal and non-metal parts.



AlbaChem® Dry Silicone No. 1652

Not for sale in VOC
regulated states.

No. 1654

VOC Compliant for
all states.

Net Wt. 11 oz.
(312 grams)

- Long lasting lubrication
- Does not attract dust and dirt
- Guaranteed not to stain fabrics
- Prevents friction and heat build-up

101 Uses!

Textiles, furniture, machinery,
automotive, paper and converters,
industrial, mold release agent, heat
sealing, screen printing.



AlbaChem® Lily White / Crystal Clear Sewing Machine Oil

No. 3014

Zoom Spout – 4 oz.
Additional sizes below

Albatross Lily White / Crystal Clear Oils are highly refined, narrow cut, non-detergent mineral oils. They are ideal for sewing machines and other applications where the oil may come into contact with textiles. The high purity and clear color makes these the perfect lubricants for textile applications.

Lily White

No. 3002 – 32 oz.,
No. 3020 – 1 Gallon,
No. 3021 – 5 Gallon,
No. 3023 – 55 Gallon

Crystal Clear

No. 3003 – 32 oz.,
No. 3030 – 1 Gallon,
No. 3031 – 5 Gallon,
No. 3032 – 55 Gallon



AlbaChem® Lemon Oil

**Nos. 3026,
3027, 3029**

Sizes: One Gallon,
Five Gallon and
55 Gallon

AlbaChem Lemon Oil is a pure mineral citrus oil for many industrial and commercial applications. Albatross Lemon Oil is clear in color to reduce chances of staining. It is great for coating cutting tables to improve material handling.



AlbaChem® ALBA-REZ Fusing Machine Belt Cleaner

No. 3620

9 oz. (255 grams)

Alba-Rez removes fusible interlining residue from PTFE coated surfaces efficiently, reliably, and safely at fusing operating temperatures. Economical, environmentally safe and easy-to-use Alba-Rez cleans and conditions belts, creates a clean, slick surface from which debris and residue easily wipes with a soft cloth. This reduces wear and tear on the belts and prevents residue from building up over time. Alba-Rez reduces the sticky interlining residue that causes fusing machines to jam and eliminates potential



Leading in Cleaning Since 1898

ALBATROSS USA INC. • New York • Los Angeles • South Carolina • www.albachem.com

Email: sales@albatross-usa.com • Phone: 1-800-233-4468 • International: 718-392-6272 • Fax: 718-392-2899