

# SAFETY DATA SHEET

### SECTION 1 — IDENTIFICATION

Product identifier: Safe-T-Tack Water Based Adhesive

1081, 1082, 1083 & 1085 **Product Code:** 

Relevant identified uses of the substance or mixture: Adhesive

**Revision Date:** 08/02/2022 **Supplier name and address:** 

### ALBATROSS USA INC./EXPERT WORLDWIDE

5439 San Fernando Road West

36-41 36<sup>th</sup> Street Long Island City, New York **United States** 

Los Angeles, California **United States** 11106 90039 718-392-6272 818-543-5850

**Emergency Telephone #:** Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night 1-800-434-9300 or 1-703-527-3887 (USA & Canada)

+56-225814934 (Chile) 01-800-681-9531 (México ) 01800 -710 -2151 (Colombia) +506-40003869 (Costa Rica) +507-8322475 (Panamá) +51-17071295 (Perú )

This MSDS complies with 29CFR 19190.1200 (Hazard Communication Standard) and WHMIS regulations.

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customers, and users of this product.

### SECTION 2 — HAZARD(S) IDENTIFICATION

- · Classification of the substance or mixture
- The product does not meet the criteria for classification as hazardous under the GHS and 29 CFR 1910.1200
- · Label Elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:

#### NFPA ratings (scale 0 - 4)



Health = 1Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)



1 Health = 1

Fire = 0

Safe-T-Tack Water Based Adhesive Page 2 of 7

- Other Hazards:
- ·Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

### SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

· Chemical characterization: Mixtures

Description: AdhesiveDangerous components:

No hazardous/reportable components

1.0 hazardous/reportable components		
	Component	% wt,
7732-18-5	Water, distilled, conductivity or of similar purity	50-100%
	Water borne synthetic resin	30-50%
	Defoamer	0.1-2%
	Thickener	0.5-3%

# SECTION 4 — FIRST AID MEASURES

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

· After swallowing:

Rinse out mouth with water. DO NOT induce vomiting. Obtain medical advice.

#### **Information for doctor:**

- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indications of any immediate medical attention and special treatment needed:

No further relevant information available.

### SECTION 5 — FIRE FIGHTING MEASURES

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

• **Protective equipment:** Protective clothing and respiratory protective device.

#### SECTION 6 — ACCIDENTAL RELEASE MEASURES

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal, state and local regulations.

Ensure adequate ventilation.

· Reference to other sections:

Safe-T-Tack Water Based Adhesive Page 3 of 7

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **Protective Action Criteria for Chemicals**

**PAC-1:** None of the ingredients is listed.

**PAC-2:** None of the ingredients is listed.

**PAC-3:** None of the ingredients is listed.

### SECTION 7 — HANDLING & STORAGE

#### · Precautions for safe handling.

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store above 40F.
- Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed. Protect product from freezing.
- **Specific end use(s):** No further relevant information available.

### SECTION 8 — EXPOSURE CONTROLS/PERSONAL PROTECTION

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures:

The usual precautionary measures for handling chemical should be followed.

- **Breathing equipment:** Not necessary if room is well-ventilated.
- · Protection of hands:



Protective Gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Safety glasses with side shields.
- · Body protection: Protective work clothing

### SECTION 9 — PHYSICAL & CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

· Appearance:

Form: Liquid

Color:
Odor:
Odor threshold:
O

· Change in condition

Melting Point:UndeterminedBoiling Point:100°C (212°F)•Flash Point:Not applicable•Flammability (solid, gaseous):Not applicable

· Ignition temperature:

**Decomposition temperature:** Not determined

• **Auto igniting:** Product is not self-igniting

• Danger of explosion: Product does not present an explosion hazard

·Flammable limits:

Lower:
Upper:
Not available
Not available

Vapor pressure at 20°C (68°F):
23 hPa (17 mm Hg)

•Specific gravity at 20°C (68°F): 1.011 g/cm<sup>3</sup> (8.437 lbs/gal)

Relative density:Not determinedVapor density:Not determinedEvaporation rateNot determined

· Solubility in/Miscibility with

Water: Not miscible or difficult to mix.

• Partition coefficient (n-octanol/water): Not determined

· Viscosity:

**Dynamic:** Not determined **Kinematic:** Not determined

·Solvent content:

Organic solvents:

Not determined

Solids content:

Not available

•Other information: Pounds Per Gallon: 8.44

Lbs VOC/Gallon [less water, less exempts] 0.01 Grams VOC/Liter [less water, less exempts] 0.71

### SECTION 10—STABILITY & REACTIVITY

• Reactivity: No further relevant information available.

· Chemical stability

• Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

• Possibility of hazardous reactions: No dangerous reactions known.

• Conditions to avoid: Temperatures below 40°F (4.4°C)

·Incompatible materials:

Reacts with oxidizing agents.

Water reactive materials such as metallic sodium and potassium.

· Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

### SECTION 11— TOXICOLOGICAL INFORMATION

- ·Information on toxicological effects
- · Acute toxicity:
- ·Primary irritant effect:
- on the skin: May irritate the skin.on the eye: May irritate the eye.

**Sensitization:** No sensitizing effects known.

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- ·IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

·NTP (National Toxicology Program

None of the ingredients is listed.

·OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# SECTION 12— ECOLOGICAL INFORMATION

- ·Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.

**Behavior in environmental systems:** 

- •Bioaccumulative potential: No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- · Additional ecological information:
- •General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment

•**PBT:** Not applicable •**vPvB:** Not applicable

• Other adverse effects: No further relevant information available.

### SECTION 13— DISPOSAL CONSIDERATIONS

- ·Waste treatment methods
- **Recommendation:** Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

# SECTION 14— TRANSPORT INFORMATION

·UN-Number

·DOT, ADR, AND, IMDG, IATA not regulated

·UN proper shipping name

•DOT, ADR, AND, IMDG, IATA not regulated

· Transport hazard class(es)

·DOT, ADR, AND, IMDG, IATA

· Class not regulated

· Packaging group

DOT, ADR, IMDG, IATA
 Environmental hazards:
 Special precautions for user
 not regulated not applicable
 not applicable

·Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC Code not applicable

Safe-T-Tack Water Based Adhesive Page 6 of 7

#### ·UN "Model Regulation":

# **SECTION 15— REGULATORY INFORMATION**

- ·Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

·Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

·TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

#### TSCA new (21st Century Act) (Substances not listed)

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

### Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

#### **New Jersey Right-to-Know List:**

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

- · Cancerogenity categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
- Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16— OTHER INFORMATION**

Although the information and recommendations set forth in this SDS [SDS] are presented in good faith and are believed to be correct as of the date of this SDS [SDS], the supplier/manufacturer makes no representations as to the completeness or accuracy thereof. Information is supplied on the conditions that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will the supplier/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS [SDS].

**Department issuing SDS:** Environment protection department.

• **Creation Date:** 11/07/2017

• Date of preparation / last revision 08/02/2022

# Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit