



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

SECTION 1 Identification

Product form: Liquid **Date of revision:** 9/18/2026
Trade name: EverBlum Gold 2 Cleaning Fluid
Item Nos: 1810R1, 1811R1, 1812R1, 1815R1
Recommended use: Spot Remover For Textiles
Restrictions on use: For use in Manufacturing Only
Supplier Information: ALBATROSS USA 36-41 36th Long Island City, NY 11106,
Telephone: 718-392-6272
Emergency number: Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night 1-800-424-9300 or 1-703-527-3887 (USA & Canada) 01-800-681-9531 (México)

SECTION 2 Hazard Identification

Classification of the substance or mixture

GHS US classification

Flammable liquid, Category 4 H227

Specific target organ toxicity – Single exposure, Category 3, H335

Respiratory tract irritation

Aspiration hazard, Category 1 H304

Full text of H statements : see section 16

Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US):

Danger

Hazard statements (GHS US):

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

H335 - May cause respiratory irritation

Precautionary statements (GHS US):

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing dust, fume, gas, mist, vapors, spray.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection

P301+P310 - If swallowed: Immediately call a poison center or doctor.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a poison center or doctor if you feel unwell.

P331 - Do NOT induce vomiting.

P370+P378 - In case of fire: Use appropriate media to extinguish.

P403 - Store in a well-ventilated place.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

Hazards associated with known or reasonably anticipated uses No additional information available

Hazards not otherwise classified No additional information available

Unknown acute toxicity No additional information available



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

SECTION 3 Composition/information on ingredients

Substances

Not applicable

Mixtures

Name	Product identifier	Conc.	GHS US classification
Naphtha (petroleum), hydrotreated heavy	CAS-No.: 64742-48-9	60	Flam. Liq. 4, H227 Asp. Tox. 1, H304
Dipropylene glycol monomethyl ether	CAS-No.: 34590-94-8	40	Flam. Liq. 4, H227 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

Description of necessary first-aid measures

First-aid measures general: Call a physician immediately.

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.

First-aid measures after skin contact: Wash skin with plenty of water.

First-aid measures after eye contact: Rinse eyes with water as a precaution.

First-aid measures after ingestion :Do not induce vomiting. Call a physician immediately.

Personal protection for first-aid responders:First-aiders should consider self-protection and use the recommended personal protective equipment (see section 8).

Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation: May cause respiratory irritation.

Symptoms/effects after skin contact: None under normal conditions.

Symptoms/effects after eye contact: None under normal conditions.

Symptoms/effects after ingestion: Risk of lung edema.

Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment: Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media: Do not use a heavy water stream.

Specific hazards arising from the chemical

Fire hazard: Combustible liquid.

Explosion hazard: No direct explosion hazard.

Hazardous decomposition products in case of fire: Toxic fumes may be released.

Special protective equipment and precautions for fire-fighters

Firefighting instructions: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

For non-emergency personnel

Protective equipment: Wear recommended personal protective equipment.

Emergency procedures: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapors/spray.

For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

Environmental precautions:	Avoid release to the environment.
Methods and materials for containment and cleaning up	
For containment:	Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information:	Dispose of materials or solid residues at an authorized site.
For further information refer to section 13.	

SECTION 7 Handling and storage 7

Precautions for safe handling

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Additional hazards when processed: Not expected to present a significant hazard under anticipated conditions of normal use.

Conditions for safe storage, including incompatibilities

Technical measures: Keep in a cool, well-ventilated place away from heat.

Storage conditions: Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.

Packaging materials: Always store product in container of same material as original container

SECTION 8 Exposure controls/personal protection

Control parameters

Glycol Ether DPM (34590-94-8)	
USA - ACGIH® - Threshold Limit Values	
ACGIH OEL TWA	50 ppm
USA - OSHA - Occupational Exposure Limits	
Local name	Dipropylene glycol methyl ether
OSHA PEL TWA	600 mg/m ³
	100 ppm
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
USA - ACGIH® - Threshold Limit Values	
ACGIH OEL TWA	400 mg/m ³ OSHA
	100 ppm OSHA
ACGIH OEL STEL	1200 mg/m ³ Total Hydrocarbon / Exxon Mobil
	171 ppm Total Hydrocarbon / Exxon Mobil

Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

Environmental exposure controls: Avoid release to the environment.

Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment

Hand protection:
Protective gloves. Chemical resistant.
Eye protection:
Safety glasses. Tightly fitting goggles.
Skin and body protection:
Wear suitable protective clothing. Impervious.
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

Personal protective equipment symbol(s):



SECTION 9 Physical and chemical properties

Basic physical and chemical properties

Physical state:	Liquid
Color:	Mixture contains one or more component(s) which have the following color(s): Colorless
Odor:	There may be no odor warning properties, odor is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odor: Mild odor Sweet odor Ether-like odor
Odor threshold:	No data available
pH:	No data available
Melting point:	Not applicable
Freezing point:	No data available
Boiling point (initial):	350 °C
Flash point:	161 °F
Flammability (solid, gas):	Not applicable.
Vapor pressure:	No data available
Relative vapor density at 20°C:	No data available
Relative density:	No data available
Density:	0.8417
Solubility:	Water: Solubility in water of component(s) of the mixture : • Glycol Ether DPM : 25 °C, complete
Partition coefficient n-octanol/water (Log Pow):	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosion limits:	No data available
Particle characteristics:	No data available
Data relevant with regard to physical hazard classes (supplemental)	No additional information available

SECTION 10 Stability and reactivity

Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

Incompatible materials

No additional information available

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

SECTION 11 Toxicological information

information on toxicological effects

Acute toxicity (oral): Not classified

Acute toxicity (dermal): Not classified

Acute toxicity (inhalation): Not classified

Glycol Ether DPM (34590-94-8)	
LD50 oral rat	> 5000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	9510 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
ATE US (dermal)	9510 mg/kg body weight
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	Not classified
Glycol Ether DPM (34590-94-8)	
pH	7 (100 %)
Serious eye damage/irritation	Not classified
Glycol Ether DPM (34590-94-8)	
pH	7 (100 %)

Respiratory or skin sensitization: Not classified
Germ cell mutagenicity: Not classified
Carcinogenicity: Not classified
Reproductive toxicity: Not classified
STOT-single exposure: May cause respiratory irritation

Glycol Ether DPM (34590-94-8)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure: Not classified
Aspiration hazard: May be fatal if swallowed and enters airways

Glycol Ether DPM (34590-94-8)	
(34590-94-8) Viscosity, kinematic	4.55 mm ² /s (20 °C, OECD 114: Viscosity of Liquids)
Glycol Ether DPM (34590-94-8)	
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
Viscosity, kinematic	< 1 mm ² /s (37.8 °C)

Symptoms/effects after inhalation: May cause respiratory irritation.
Symptoms/effects after skin contact: None under normal conditions.
Symptoms/effects after eye contact: None under normal conditions.
Symptoms/effects after ingestion: Risk of lung edema.

SECTION 12 Ecological information

Ecotoxicity

Ecology - general: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute): Not classified

Hazardous to the aquatic environment, long-term (chronic): Not classified

Glycol Ether DPM (34590-94-8)	
LC50 - Fish [1]	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Poecilia reticulata, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	> 969 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
EC50 - Crustacea [1]	1000 mg/l
ErC50 other aquatic plants	1000 mg/l
LOEC (acute)	1000 mg/l
NOEC (acute)	1000 mg/l
NOEC (chronic)	< 1 mg/l
Persistence and degradability	
DPM Isoparaffinic Blend	
Persistence and degradability	Rapidly degradable
Glycol Ether DPM (34590-94-8)	
Persistence and degradability	Readily biodegradable in water.
Biochemical oxygen demand (BOD)	g O ₂ /g substance
ThOD	2.06 g O ₂ /g substance
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
Persistence and degradability	Rapidly degradable
Bioaccumulative potential	
Glycol Ether DPM (34590-94-8)	
Partition coefficient n-octanol/water (Log Pow)	0.004 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Mobility in soil	
Glycol Ether DPM (34590-94-8)	
Surface tension	68.7 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil. Not toxic to plants.
Other adverse effects	
Ozone:	Not classified
Fluorinated greenhouse gases:	No

SECTION 13 Disposal considerations

Regional waste regulation:	Disposal must be done according to official regulations.
Waste treatment methods:	Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations:	Disposal must be done according to official regulations.
Product/Packaging disposal recommendations:	Disposal must be done according to official regulations.
Additional information:	Do not re-use empty containers.
Ecological waste information:	The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
ICAO/IATA	None.	Not regulated.	Not regulated.	none	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	Not regulated.	None	
IMDG Additional information	None.				



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

TDG	None.	Not regulated	not regulated	none	
TDG Additional information	None				
49CFR/DOT	NA1993	Combustible liquid, n.o.s.	Combustible.	III	
49CFR/DOT Additional information	Not regulated for road or rail shipment if packaged in non-bulk containers (450 Litres or less each).				

Special precautions for user: Appropriate advice on safety must accompany the package. Keep away from flames and hot surfaces. - No smoking.

Environmental hazards: Dangerous for the environment: Yes

SECTION 15 Regulatory information

Federal regulations

EverBlum® Gold 2 Cleaning Fluid	
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Specific target organ toxicity (single or repeated exposure)

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Glycol Ether DPM (34590-94-8)	
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Aspiration hazard

Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Aspiration hazard

International regulations

CANADA

Glycol Ether DPM (34590-94-8)	
Listed on the Canadian DSL (Domestic Substances List)	

Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

No additional information available

National regulations

Glycol Ether DPM (34590-94-8)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	

Naphtha (petroleum), hydrotreated heavy (64742-48-9)	
Listed on INSQ (Mexican National Inventory of Chemical Substances)	

State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm



Safety Data Sheet

EverBlum® Gold 2 Cleaning Fluid

According to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

Component	State or local regulations
Glycol Ether DPM (34590-94-8)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information


according to Federal Register / Vol.89 , No. 98 / Monday, May 20, 2024 / Rules and Regulations

Issue date:

9/18/2026

Full text of hazard classes and H-statements	
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H335	May cause respiratory irritation

NFPA health hazard: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity: 0 - Material that in themselves are normally stable, even under fire conditions.



Safety Data Sheet (SDS), USA

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Please be advised revisions to the Safety Data Sheet (SDS) may require a label update. In no event shall The Whitaker Company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if The Whitaker Company has been advised of the possibility of such damages. The vendor assumes no responsibility for injury or damages resulting from the inappropriate alteration or manipulation of this SDS and its contents from that originally submitted by The Whitaker Company.