



# SAFETY DATA SHEET

## SECTION 1 — IDENTIFICATION

**Product identifier:** AlbaChem L.U.V. Graphics Press Wash

**Product Number:** 4012, 4013, 4014

**Manufacturer's name and address:** Refer to supplier

**Supplier name and address:**

### ***ALBATROSS USA INC./EXPERT WORLDWIDE***

36-41 36<sup>th</sup> Street  
Long Island City, New York  
United States  
11106  
718-392-6272

5439 San Fernando Road West  
Los Angeles, California  
United States  
90039  
818-543-5850

**Emergency Telephone #:** Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night  
1-800-434-9300 or 1-703-527-3887 (USA & Canada)  
01-800-681-9531 (Mexico)

This Safety Data Sheet conforms to the requirements of ANSI Z400.5, and to the format requirements of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD).

IMPORTANT: Read this SDS before handling and disposing of this product. Pass this information on to employees, customers, and users of this product.

## SECTION 2 — HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

#### **GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Flammable liquids (Category 4), H227  
Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 4), H332  
Acute toxicity, Dermal (Category 4), H312  
Skin irritation (Category 2), H315  
Eye irritation (Category 2A), H319

### 2.2 GHS Label elements, including precautionary statements

LABEL PICTOGRAM/S:



SIGNAL WORD: WARNING

**HAZARD STATEMENT(S):**

H227	Combustible liquid.
H302 + H312 + H332	Harmful if swallowed, in contact with skin or if inhaled
H315	Causes skin irritation.
H319	Causes serious eye irritation

**PRECAUTIONARY STATEMENTS:**

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/ physician if you feel unwell.
P322	Specific measures (see supplemental first aid instructions on this label).
P330	Rinse mouth.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for Extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/ container to an approved waste disposal plant.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

Rapidly absorbed through skin.

**SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS**

CONTAINS: 30-85% 2-BUTOXYETHANOL (111-76-2) {203-905-0}  
 5-15% DIPROPYLENE GLYCOL METHYL ETHER (34590-94-8) {252-104-2}  
 5-15% DIPROPYLENE GLYCOL METHYL ETHER ACETATE (88917-22-0) {406-880-6}

Number in parentheses is CAS #, number in brackets is European EC #.

**SECTION 4 — FIRST AID MEASURES****4.1 Description of first aid measures****General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5 — FIRE FIGHTING MEASURES****5.1 Extinguishing media****Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information**

Use water spray to cool unopened containers.

**SECTION 6 — ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7 — HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8 — EXPOSURE CONTROLS / PERSONAL PROTECTION

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm

Break through time: 30 min

Test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection** Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains

## SECTION 9 — PHYSICAL & CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance	Form: clear, liquid Colour: colourless
b) Odour	No data available
c) Odor Threshold	No data available
d) pH	No data available
e) Melting point/freezing point	Melting point/range: -75 °C (-103 °F) - lit.
f) Initial boiling point and boiling range	169 - 172.5 °C (336 - 342.5 °F) - lit.
g) Flash point	67 °C (153 °F) - closed cup
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 12.7 %(V) Lower explosion limit: 1.1 %(V)
k) Vapor pressure	13 hPa (10 mmHg) at 81 °C (178 °F) < 1 hPa (< 1 mmHg) at 20 °C (68 °F)
l) Vapor density	4.08 - (Air = 1.0)
m) Relative density	0.902 g/cm <sup>3</sup> at 25 °C (77 °F)
n) Water solubility	No data available
o) Partition coefficient: n octanol/water	log Pow: 0.83
p) Auto-ignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

### 9.2 Other safety information

Surface tension	27.4 mN/m at 25 °C (77 °F)
Relative vapor density	4.08 - (Air = 1.0)

## SECTION 10 — STABILITY & REACTIVITY

**10.1 Reactivity** No data available

**10.2 Chemical stability** Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions** No data available

**10.4 Conditions to avoid** Heat, flames and sparks Incompatible materials Strong oxidizing agents

**10.5 Hazardous decomposition products** Other decomposition products - No data available In the event of fire: see section 5

## SECTION 11 — TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological Effects

#### Acute toxicity

LD50 Oral - Rat - 470 mg/kg

LC50 Inhalation - Rat - 4 h - 450 ppm

Remarks: Behavioral:Ataxia. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

Dermal: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) LD50

Intraperitoneal - Rat - 220 mg/kg

LD50 Intravenous - Rat - 307 mg/kg

#### Skin corrosion/irritation

Skin - Rabbit

Result: Open irritation test

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation - 24 h

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagen

city No data available

#### Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

#### Additional Information

RTECS: KJ8575000

Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of 2-butoxyethanol results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings., Central nervous system depression, Headache, narcosis Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence Aldrich - 579556

## SECTION 12 — ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish

LC50 - other fish - 220 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 1,815 mg/l - 24 h

### 12.2 Persistence and degradability

No data available Ratio BOD/ThBOD 88 %

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available

## SECTION 13 — DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Product This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Contaminated packaging Dispose of as unused product.

## SECTION 14 — TRANSPORT INFORMATION

**DOT SHIPPING NAME:** **BULK:** Combustible Liquid, n.o.s. NA1993, PG-III

(Ethylene Glycol Monobutyl Ether, Dipropylene Glycol Methy Ether, Dipropylene Glycol Methyl Ether Acetate )

Combustible liquid. Not DOT regulated on trucks in containers of < 119 gallons.

**DRUM LABEL:** None (Combustible Liquid)

**IATA/ICAO:** None

**IMO/IMDG:** None

**EMERGENCY RESPONSE GUIDEBOOK NUMBER:** 128

**SECTION 15 — REGULATORY INFORMATION****SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313: 2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

**SARA 311/312 Hazards**

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components**

2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

**Pennsylvania Right To Know Components**

2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

**New Jersey Right To Know Components**

2-Butoxyethanol CAS-No. 111-76-2 Revision Date 1993-04-24

**California Prop. 65 Components**

WARNING: This product can expose you to Ethylene Glycol Monomethyl Ether, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to

[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**SECTION 16 — OTHER INFORMATION****HAZARD RATINGS**

HEALTH (NFPA): 2, HEALTH (HMIS): 2, FLAMMABILITY: 2, REACTIVITY: 1  
PERSONAL PROTECTION: B

This information is intended solely for the use of individuals trained in the NFPA & HMIS hazard rating systems.

**EMPLOYEE TRAINING:**

Employees should be made aware of all hazards of this material (as stated in this MSDS) before handling it.

**NOTICE**

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the product or the information provided herein, except for conformation to contracted specifications.

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency.

Conditions of use are beyond our control, and therefore, users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon, information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

**Prepared by:** Albatross USA Inc.

**Telephone number:** 718-392-6272

**Revision Date:** May 31, 2019