



SAFETY DATA SHEET

SECTION 1 — PRODUCT IDENTIFICATION

Product identifier: Albatross SMP – Stencil Removing Crystals

Product Number: 4036 & 4039

Product Use: Oxidizing Agent

Chemical Formula: NaI04

Manufacturer's name and address: Refer to supplier

Supplier name and address:

ALBATROSS USA INC./EXPERT WORLDWIDE

36-41 36th Street
Long Island City, New York
United States
11106
718-392-6272

5439 San Fernando Road West
Los Angeles, California
United States
90039
818-543-5850

Emergency Telephone #: Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night
1-800-434-9300 or 1-703-527-3887 (USA & Canada)
01-800-681-9531 (Mexico)

This Safety Data Sheet conforms to the requirements of ANSI Z400.5, and to the format requirements of the Global Harmonizing System. This SDS complies with 29 CFR 1910.1200 (HAZARD COMMUNICATION STANDARD).

IMPORTANT: Read this SDS before handling and disposing of this product. Pass this information on to employees, customers, and users of this product.

SECTION 2 — HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 1), H271

Skin corrosion (Category 1C), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - repeated exposure (Category 1), thymus gland, H372

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H271	May cause fire or explosion; strong oxidizer.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H372	Causes damage to organs (thymus gland) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Precautionary statement(s)

P210	Keep away from heat.
P220	Keep/Store away from clothing/ combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P283	Wear fire/ flame resistant/ retardant clothing.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
P306 + P360	IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P314	Get medical advice/ attention if you feel unwell.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P371 + P380 + P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none**SECTION 3 — CONPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Synonyms	:	Sodium (meta)periodate
Formula	:	INaO4
Molecular weight	:	213.89 g/mol
CAS-No.	:	7790-28-5

EC-No. : 232-197-6

Component	Classification	Concentration
Sodium periodate		
	Ox. Sol. 1; Skin Corr. 1C; Eye Dam. 1; STOT RE 1; Aquatic Acute 1; H271, H314, H318, H372, H400	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4 — FIRST AID MEASURE

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5 — FIREFIGHTING MEASURE

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Hydrogen iodide, Sodium oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7 — HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Light sensitive. Hygroscopic.

Storage class (TRGS 510): Strongly oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8 — EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

b) Odour	odourless
c) Odour Threshold	No data available
d) Ph	3.5 - 5.5 at 107 g/l at 25 °C (77 °F)
e) Melting point/freezing point	Melting point/range: 270 °C (518 °F)
f) Initial boiling point and boiling range	No data available
g) Flash point	No data available
h) Evaporation rate	No data available
i) Flammability (solid, gas)	The product is not flammable.
j) Upper/lower flammability or explosive limits	No data available
k) Vapour pressure	No data available
l) Vapour density	No data available
m) Relative density	3.860 g/cm ³
n) Water solubility	107 g/l at 20 °C (68 °F) - completely soluble
o) Partition coefficient: noctanol/water	No data available
p) Auto-ignition temperature	262 °C (504 °F)
q) Decomposition temperature	No data available
r) Viscosity	No data available
s) Explosive properties	No data available
t) Oxidizing properties	The substance or mixture is classified as oxidizing with the category 1.

9.2 Other safety information

No data available

SECTION 10 — STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

hygroscopic

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Exposure to light.

10.5 Incompatible materials

Organic materials, Forms shock-sensitive mixtures with certain other materials., Reducing agents, Powdered metals, Magnesium

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11 — TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute toxicity**

No data available

Inhalation: No data available

Dermal: No data available

LD50 Intraperitoneal - Mouse - 58 mg/kg

No data available

Skin corrosion/irritation

Skin - EPISKIN Human Skin Model Test

Result: Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

(OECD Test Guideline 431)

Serious eye damage/eye irritation

Risk of serious damage to eyes.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1. - thymus gland

Aspiration hazard

No data available

Additional Information

RTECS: SD4550000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12 — ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity to fish semi-static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - > 0.17 mg/l - 96 h

Toxicity to daphnia Static test EC50 - *Daphnia magna* (Water flea) - 0.18 mg/l - 48 h
and other aquatic
invertebrates

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

No data available

SECTION 13 — DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods****Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14 — TRANSPORT INFORMATION

DOT (US)

UN number: 3085 Class: 5.1 (8) Packing group: I
 Proper shipping name: Oxidizing solid, corrosive, n.o.s. (Sodium periodate)
 Reportable Quantity (RQ):
 Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 3085 Class: 5.1 (8) Packing group: I EMS-No: F-A, S-Q
 Proper shipping name: OXIDIZING SOLID, CORROSIVE, N.O.S. (Sodium periodate)
 Marine pollutant: No

IATA

UN number: 3085 Class: 5.1 (8) Packing group: I
 Proper shipping name: Oxidizing solid, corrosive, n.o.s. (Sodium periodate)

SECTION 15 — REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Sodium periodate	CAS-No. 7790-28-5	Revision Date
------------------	-------------------	---------------

New Jersey Right To Know Components

Sodium periodate	CAS-No. 7790-28-5	Revision Date
------------------	-------------------	---------------

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16 — OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Acute aquatic toxicity
 Eye Dam. Serious eye damage
 H271 May cause fire or explosion; strong oxidiser.
 H314 Causes severe skin burns and eye damage.
 H318 Causes serious eye damage.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 Ox. Sol. Oxidizing solids
 Skin Corr. Skin corrosion
 STOT RE Specific target organ toxicity - repeated exposure

HMIS Rating

Health hazard: 2
 Chronic Health Hazard:
 Flammability: 0
 Physical Hazard: 3

NFPA Rating

Health hazard: 2
 Fire Hazard: 0
 Reactivity Hazard: 3
 Special hazard.I: OX

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Albatross USA Inc and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.Albatross-usa.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Albatross USA Inc
 1800-233-4468

Version: 4.12 Revision Date: 05/23/19 Print Date: 05/23/19